

	Engine	Description	Dimension	P/N
MAN	16/24	inlet valve spindle	∅ 57×∅ 12×247.5×120°	
MAN	16/24	exhaust valve spindle	∅ 54×∅ 12×247.5×120°	
MAN	16/24	exhaust valve seat	∅ 61.2×∅ 42×28×120°	
MAN	12V40/54	inlet valve spindle	∅ 120×∅ 25×515×120°	
MAN	12V40/54,16V40/54	exhaust valve spindle	∅ 120×∅ 25×514×120°	
MAN	12V40/54,16V40/54	exhaust valve guide upper	∅ 61×∅ 44×∅ 25×64	
MAN	12V40/54	exhaust valve guide lower	∅ 36×∅ 25×126	
MAN	30/45 ATL	in/exh valve guide	∅ 52×∅ 34×∅ 20×223	
MAN	12V40/54	inlet valve spindle	∅ 130×∅ 25×532×120°	
MAN	12V40/54	exhaust valve spindle	∅ 120×∅ 25×532×120°	
MAN	12V40/54	inlet valve spindle	∅ 130×∅ 25×515×120°	
MAN	12V40/54	exhaust valve spindle	∅ 120×∅ 25×514×120°	
MAN	12V 40/54A	exhaust valve seat	∅ 134.5×∅ 85×37.5×120°	
MAN	12V 40/54A	exhaust valve seat	∅ 133×∅ 83.5×34×120°	
MAN	14V40/54A	inlet valve spindle	∅ 130×∅ 25×515×120°	
MAN	12V40/54	inlet valve guide lower	∅ 40×∅ 25×63	
MAN	14V40/54	exhaust valve guide upper	∅ 44×∅ 35×∅ 25×109	
MAN	14V40/54	exhaust valve guide lower	∅ 36×∅ 25×126	
MAN	16V40/54,V8V40/54	inlet valve spindle	∅ 120×∅ 25×517×120°	
MAN	16V40/54(A),V8V40/54,14V40/54(A)	in/exh valve spindle	∅ 120×∅ 25×514×120°	
MAN	16V40/54			
MAN	14V40/54,16V40/54,V8V40/54	in/exh valve seat	∅ 131.5×∅ 97×26×120°	113-4-1073
MAN	V8V40/54A	inlet valve guide upper	∅ 61.5×∅ 36×∅ 25×125	
MAN	V8V40/54	inlet valve guide lower	∅ 36×∅ 25×63	
MAN	V8V40/54	exhaust valve guide upper	∅ 44×∅ 35×∅ 25×109	
MAN	V8V40/54	exhaust valve guide lower	∅ 36×∅ 25×126	
MAN	16V40/54A	exhaust valve seat	∅ 131.5×∅ 97×26×120°	
MAN	V8V40/54	valve guide upper	∅ 62×∅ 44×∅ 25×72	
MAN	V8V40/54A, 16V40/54A	in/exh valve guide	∅ 59×∅ 40×∅ 25×220	
MAN	16V40/54A	inlet valve spindle	∅ 130×∅ 25×515×120°	
MAN	16V40/54A	exhaust valve spindle	∅ 120×∅ 25×512×120°	
MAN	16V40/54A	in/exh valve guide	∅ 59×∅ 40×∅ 25×220	E11.11425-0085
MAN	6L40/45,18V40/45	inlet valve spindle	∅ 132×∅ 28×567×120°	
MAN	6L40/45,18V40/45	exhaust valve spindle		
MAN	6L40/45,18V40/45	exhaust valve spindle	∅ 132×∅ 28×567×120°	
MAN	6L40/45,18V40/45	rotation wing wing		
MAN	18V40/54	inlet valve seat	∅ 140×∅ 110×30×120°	
MAN	18V40/54	in/exh valve guide	∅ 62×∅ 52×∅ 28×292	
MAN	6L40/54A	inlet valve spindle	∅ 130×∅ 25×515×120°	
MAN	6L40/54	exhaust valve spindle	∅ 120×∅ 25×515×120°	
MAN	6L40/54A,16V40/54A	exhaust valve seat	∅ 140×∅ 105×30×120°	
MAN	30/45	inlet valve spindle	∅ 128×∅ 19.8×370×120°	
MAN	30/45	exhaust valve spindle	∅ 128×∅ 19.8×370×120°	
MAN	30/45	in/exh valve guide	∅ 46×∅ 35×∅ 20×219.5	
MAN	32/36	in/exh valve spindle		
MAN	32/36	in/exh valve spindle	∅ 106×∅ 24×529×120°	
MAN	32/36	rotation wing wing		
MAN	32/36	inlet valve seat	∅ 110×∅ 88×20×120°	
MAN	32/36	exhaust valve seat	∅ 120×∅ 85.6×48×120°	
MAN	32/36	in/exh valve guide	∅ 65×∅ 40×∅ 24×270	
MAN	D25/30MTE	inlet valve spindle	∅ 58×∅ 12×143×120°	
MAN	D25/30MTE	exhaust valve spindle	∅ 51×∅ 12×143×90°	
MAN	D25/30MTE	inlet valve seat	∅ 61×∅ 48×9×120°	
MAN	D25/30MTE	exhaust valve seat	∅ 53×∅ 43×10×90°	
MAN	D25/30MTE	in/exh valve guide	∅ 18×∅ 12×64	
MAN	L20/27	in/exh valve spindle	∅ 93×∅ 18×300×120°	D11.11357-0132
MAN	20/27	inlet valve seat	∅ 98×∅ 74×14.6×120°	
MAN	20/27	exhaust valve seat	∅ 98×∅ 80×15×120°	
MAN	L20/27	in/exh valve guide	∅ 55×∅ 32×∅ 18×152	

MAN	20/27	inlet valve seat	∅ 98×∅ 74×15×120°	D11.05540-0107
MAN	20/27	exhaust valve seat	∅ 98×∅ 80×15×120°	E11.05540-0082
MAN	20/27	in/exh valve spindle	∅ 93×∅ 18×300×120°	D11.11357-0181
MAN	XC6200	in/exh valve spindle	∅ 98×∅ 17.9×300×120°	XC62.05.00.0001
MAN	23/30,6T23LH-4ED,8T23LH-4	in/exh valve spindle	∅ 70×∅ 14×318×120°	L23-12-01H1
MAN	23/30	in/exh valve guide	∅ 44.5×∅ 28×∅ 14×140	
MAN,B&W	23/30,6T23LH-4ED	inlet valve seat	∅ 80×∅ 55×14.6×120°	
MAN,B&W	23/30,6T23LH-4ED	exhaust valve seat	∅ 86×∅ 55×34.6×120°	
MAN	23/30	inlet valve seat	∅ 80×∅ 55×14.6×120°	
MAN	23/30	exhaust valve seat	∅ 86×∅ 55×34.6×120°	L23-06-04
MAN	广柴230	inlet valve seat	∅ 82×∅ 60×14.6×120°	230.113.02
MAN	广柴230	exhaust valve seat	∅ 88×∅ 60×34.6×120°	230.113.05
MAN	230	in/exh valve guide	∅ 44.5×∅ 28×∅ 16×140	230.113.03
MAN	230	in/exh valve spindle	∅ 75×∅ 16×318×120°	
MAN	L23/30H	in/exh valve spindle	∅ 70×∅ 14×318×120°	
MAN	L23/30H	inlet valve seat	∅ 85×∅ 52.3×42×120°	
MAN	L23/30H	exhaust valve seat	∅ 85×∅ 54.2×42×120°	
MAN	L23/30H	in/exh valve guide	∅ 44.5×∅ 24×∅ 14×140	
MAN	23/30H	inlet valve seat	∅ 85×∅ 58×42×120°	
MAN	G6V30/45ATL	in/exh valve spindle	∅ 107×∅ 20×375.5×120	MAN-114-0333-T41
MAN	30/45ATL	in/exh valve seat	∅ 108×∅ 95×19.5×120°	
MAN	48/60	inlet valve spindle	∅ 160×∅ 32×772×120°	
MAN	48/60	exhaust valve spindle		
MAN	48/60	exhaust valve spindle	∅ 160×∅ 32×772×120°	
MAN	48/60	rotation wing wing		
MAN	48/60	inlet valve seat	∅ 178×∅ 131×61×120°	
MAN	48/60	in/exh valve guide	∅ 92×∅ 56×∅ 32×352	
MAN	D2542MIE	inlet valve spindle	∅ 58×∅ 12××142.5×120°	
MAN	D2542MIE	exhaust valve spindle	∅ 51×∅ 12×142.5×90°	
MAN	D2542MIE	inlet valve seat	∅ 61.3×∅ 48×9×120°	
MAN	D2542MIE	exhaust valve seat	∅ 53.3×∅ 43×10×90°	
MAN	17.5/22A	inlet valve spindle	∅ 89×∅ 14×245×90°	
MAN	17.5/22A	exhaust valve spindle	∅ 73×∅ 14×245.5×90°	
MAN	17.5/22A	in/exh valve guide	∅ 38.5×∅ 19×∅ 14×142	
MAN	17.5/22B(MA)	inlet valve spindle	∅ 82×∅ 16×246.5×120°	
MAN	17.5/22B(MA)	exhaust valve spindle	∅ 74×∅ 16×246.5×120°	
MAN	17.5/22B	inlet valve seat	∅ 85×∅ 68×14×120°	
MAN	17.5/22B	exhaust valve seat	∅ 77×∅ 60×14×120°	
MAN	17.5/22B	in/exh valve guide	∅ 38.5×∅ 22×∅ 16×138	
MAN	17.5/22B			
MAN	16/18,V6V16/18,R8V16/18TL	in/exh valve spindle	∅ 53×∅ 11×238×120°	
MAN	16/18	in/exh valve seat	∅ 54×∅ 41×11×120°	
MAN	16/18	in/exh valve guide	∅ 35×∅ 17×∅ 11×127	
MAN	16/18	in/exh valve spindle	∅ 53×∅ 11×238×120°	
MAN	23.5/33	exhaust valve spindle	∅ 97×∅ 19×314×120°	
MAN	23.5/33	exhaust valve seat	∅ 105×∅ 88.5×9.5×120°	
MAN	23.5/33	in/exh valve guide	∅ 46.5×∅ 32×∅ 19×180	235-01-04
MAN	23.5/33	inlet valve spindle	∅ 93×∅ 18.8×314×120°	
MAN	23.5/33	exhaust valve spindle	∅ 93×∅ 18.8×314×120°	
MAN	23.5/33,G6V23.5/33	in/exh valve seat	∅ 96×∅ 85×18×120°	
MAN	28/32	in/exh valve spindle	∅ 90×∅ 18×330.5×120°	L28-A12-01
MAN	28/32	inlet valve seat	∅ 100×∅ 74.2×33.5×120°	
MAN	28/32	exhaust valve seat	∅ 106×∅ 74×34×120°	
MAN	B&W 28/32, B&W ALPHA6L 28/32	in/exh valve guide	∅ 52×∅ 28×∅ 18×160	1352994-1
MAN	28/32			23-12-03
MAN,B&W	ALPHA 6L28/32A	inlet valve spindle	∅ 90×∅ 18×369×120°	
MAN,B&W	ALPHA 6L28/32A	exhaust valve spindle		
MAN,B&W	ALPHA 6L28/32A	exhaust valve spindle	∅ 90×∅ 18×369×120°	
MAN,B&W	ALPHA 6L28/32A	rotation wing wing		
MAN,B&W	ALPHA 6L28/32A	inlet valve seat	∅ 105×∅ 70×50×120°	

MAN,B&W	ALPHA 6L28/32A	exhaust valve seat	∅ 105× ∅ 72×50×120°	
MAN	28/32A	inlet valve spindle	∅ 90× ∅ 18×369×120°	
MAN	28/32A	inlet valve spindle	∅ 90× ∅ 18×369×120°	
MAN	VV/RV52/55,9L52/55A	inlet valve spindle	∅ 160.5× ∅ 30×675×120°	
MAN	VV/RV52/55	exhaust valve spindle		
MAN	VV/RV52/55	exhaust valve spindle	∅ 160.5× ∅ 30×755×120°	
MAN	VV/RV52/55	inlet valve guide upper	∅ 50× ∅ 46× ∅ 30×128	
MAN	VV/RV52/55	exhaust valve guide upper	∅ 82× ∅ 48× ∅ 30×152	
MAN	VV/RV52/55	valve guide lower	∅ 44× ∅ 30×120	
MAN	6L52/55(A),KAWASAKI 7L52/55A	inlet valve spindle	∅ 160× ∅ 30×674×120°	
MAN	6L52/55A,R6V52/55,KAWASAKI 7L52/55A	exhaust valve spindle	∅ 160× ∅ 30×755×120°	
MAN	6L52/55A,R6V52/55,KAWASAKI 7L52/55A	rotation wing wing		
MAN	7L52-55A	inlet valve seat	∅ 175× ∅ 135×35×120°	
MAN	7L52/55A	inlet valve guide upper	∅ 50× ∅ 46× ∅ 30×128	
MAN	7L52/55A	inlet valve guide lower	∅ 50× ∅ 44× ∅ 30×180	
MAN	7L52/55A	exhaust valve guide upper	∅ 82× ∅ 48× ∅ 30×152	
MAN	7L52/55A	exhaust valve guide lower	∅ 48× ∅ 44× ∅ 30×247	
MAN	7L52/55A	exhaust valve guide	∅ 48× ∅ 44× ∅ 30×430	
MAN	9L52/55A	inlet valve guide	∅ 50× ∅ 44× ∅ 30×350	
MAN	9L52/55A	exhaust valve guide	∅ 48× ∅ 44× ∅ 30×430	
MAN	MIRRLEES MB4811	exhaust valve seat	∅ 104× ∅ 74×22×120°	
MAN	B & W MIRRLEES MB430	in/exh valve guide	∅ 77× ∅ 44× ∅ 28×261	
MAN,B&W	MIRRLEES MB430A	inlet valve seat	∅ 147× ∅ 105.5×25×120°	
MAN,B&W	MIRRLEES MB430	exhaust valve seat	∅ 141× ∅ 98.5×54.5×100°	
MAN,B&W	MIRRLEES MB430A	in/exh valve seat	∅ 140× ∅ 104×28.5×120°	
MAN	MB430B	exhaust valve seat	∅ 144× ∅ 95×54×120°	Z26
MAN	MIRRLEES MB430GD	inlet valve guide	∅ 48× ∅ 30×231	
MAN	MIRRLEES MB430GD	exhaust valve guide	∅ 48× ∅ 30×231	
MAN	S28L,8S28LU(H)	exhaust valve seat	∅ 100× ∅ 80×12.5×120°	
MAN,B&W	8S28LU	inlet valve spindle	∅ 90× ∅ 18×330×120°	
MAN,B&W	8S28LU(H)	exhaust valve spindle	∅ 90× ∅ 18×330×120°	
B&W	5/8T23HH	in/exh valve spindle	∅ 90× ∅ 18×302×120°	
B&W	5T23HH	in/exh valve seat	∅ 100× ∅ 80×10×120°	
B&W	5/8T,23HH/LH,S28LH	in/exh valve guide	∅ 52× ∅ 35× ∅ 18×160	
B&W	6T23LH	in/exh valve spindle	∅ 80× ∅ 18×302×120°	
B&W	6T23LH	in/exh valve guide	∅ 52× ∅ 28× ∅ 18×160	
B&W	5T23HH			
B&W	5T23LH	in/exh valve guide	∅ 52× ∅ 28× ∅ 18×150	
B&W	521-MTBHK-30	inlet valve spindle	∅ 66× ∅ 18×275×120°	
B&W	521-MTBHK-30	exhaust valve spindle	∅ 63× ∅ 18×275×120°	
B&W	521-MTBHK-30	in/exh valve guide	∅ 47× ∅ 30× ∅ 18×155	
B&W	626MTBH40	inlet valve spindle	∅ 86× ∅ 18×324×120°	
B&W	626MTBH40	exhaust valve spindle	∅ 82× ∅ 18×324×120°	
B&W	626MTBH-40	inlet valve seat	∅ 91.8× ∅ 70×10×120°	
B&W	626MTBH-40	exhaust valve spindle	∅ 82× ∅ 18×324×90°	
B&W	826MTBH-40	inlet valve seat	∅ 91.8× ∅ 76.5×13×120°	
B&W	826MTBH-40	exhaust valve seat	∅ 91.8× ∅ 74×13×120°	
B&W	826MTBH-40	in/exh valve guide	∅ 52× ∅ 32× ∅ 18×180	
B&W	6T23LH,5T23LH-(2)	in/exh valve seat	∅ 100× ∅ 80×10×120°	
B&W	5T23LH-2, 5T23LH, 3T23HH, 8T23LH	in/exh valve spindle	∅ 90× ∅ 18×303×120°	
B&W	(8)T23LH	exhaust valve seat	∅ 100× ∅ 80×10×120°	
B&W	6S28LU	in/exh valve spindle	∅ 110× ∅ 18×375.5×120°	
B&W	6S28LU	in/exh valve seat	∅ 120.5× ∅ 100×14.5×120°	
B&W	6S28LU	in/exh valve seat	∅ 120× ∅ 100×14.5×120°	
B&W	8S50LU	in/exh valve spindle	∅ 145× ∅ 30×715×120°	
B&W	8S45HU	exhaust valve spindle	∅ 145× ∅ 30×715×120°	
B&W	8S45HU	exhaust valve spindle	∅ 145× ∅ 30×713.5×120°	
B&W	18V23HU	inlet valve spindle	∅ 90× ∅ 18×303×120°	
B&W	18V23HU	exhaust valve spindle	∅ 90× ∅ 18×304×120°	
B&W	626	in/exh valve seat	∅ 97× ∅ 70×23.5×120°	

	Engine	Description	Dimension	P/N
DAIHATSU 6PS-18D		inlet valve spindle	∅ 81×∅ 15×222.5×90°	
DAIHATSU 6PS-18D		exhaust valve spindle	∅ 73×∅ 16×222×90°	
DAIHATSU DS (b)-18A		inlet valve spindle	∅ 63×∅ 15×292×120°	E185710020A
DAIHATSU 6DS-18, DS (b)-18A		in/exh valve spindle	∅ 63×∅ 15×292×90°	E185810020Z
DAIHATSU DS-18A		inlet valve seat	∅ 70×∅ 56.5×11×120°	E185610060A
DAIHATSU DS-18, DS-18A		in/exh valve seat	∅ 70×∅ 56.5×11×90°	E185610070Z
DAIHATSU DS-18A		in/exh valve guide	∅ 29×∅ 25×∅ 15×133	
DAIHATSU DIESEL 6DSB-18A				
DAIHATSU DS-18		in/exh valve guide	∅ 29×∅ 25×∅ 15×167	
DAIHATSU DS-19A		exhaust valve spindle	∅ 67×∅ 15×291.5×90°	
DAIHATSU DL-19,DS-19(A)		inlet valve seat	∅ 74×∅ 60.5×10×120°	
DAIHATSU DS-19A		exhaust valve seat	∅ 74×∅ 60.5×10×90°	
DAIHATSU DS-19A		exhaust valve guide	∅ 40×∅ 28×∅ 15×89	
DAIHATSU DS-22		exhaust valve seat	∅ 80×∅ 52.5×32×90°	
DAIHATSU DSB-22		inlet valve seat	∅ 83×∅ 67×12×120°	
DAIHATSU 6DS (B) -22		exhaust valve seat	∅ 78×∅ 60×12×90°	
DAIHATSU 6DSB-22		inlet valve spindle	∅ 76×∅ 16×300×90°	
DAIHATSU 6DSB-22		inlet valve seat	∅ 83×∅ 67×12×90°	
DAIHATSU 6DSD-22		in/exh valve spindle	∅ 90×∅ 21×338.5×90°	
DAIHATSU 6DSD-22		in/exh valve seat	∅ 98×∅ 81×12×90°	
DAIHATSU 6DSD-22		in/exh valve guide	∅ 40×∅ 34×∅ 21×148	
DAIHATSU DLB-22		exhaust valve seat	∅ 80×∅ 53.6×35×90°	
DAIHATSU 6PKTb-16		inlet valve spindle	∅ 73×∅ 16×257×120°	
DAIHATSU 6PKTb-16		exhaust valve spindle	∅ 68×∅ 16×257×120°	
DAIHATSU 6PKTb-16		inlet valve seat	∅ 79×∅ 67×12×120°	
DAIHATSU 6PKTb-16		exhaust valve seat	∅ 74×∅ 62×12×120°	
DAIHATSU 6PKT-16A		inlet valve guide	∅ 33×∅ 25×∅ 16×125	
DAIHATSU 6PKT-16A		exhaust valve guide	∅ 33×∅ 25×∅ 16×125	
DAIHATSU 6PKTb-14A		inlet valve spindle	∅ 63×∅ 14×202.5×120°	
DAIHATSU 6PKTb-14A		exhaust valve spindle	∅ 58×∅ 14×202.5×120°	
DAIHATSU 6PKTb-14A		inlet valve seat	∅ 67×∅ 57×12×120°	
DAIHATSU 6PKTb-14A		exhaust valve seat	∅ 62×∅ 52×12×120°	
DAIHATSU 6PKTb-14A		in/exh valve guide	∅ 25×∅ 20×∅ 14×95	
DAIHATSU 6PS-22		inlet valve spindle	∅ 95×∅ 18×325×90°	
DAIHATSU 6PS-22		exhaust valve spindle	∅ 85×∅ 18×325×90°	
DAIHATSU PS-22		inlet valve seat	∅ 108×∅ 88×13×90°	
DAIHATSU 6PSTC-22		exhaust valve seat	∅ 88×∅ 78×24×90°	
DAIHATSU PS-22		exhaust valve guide	∅ 36.5×∅ 28×∅ 18×137	
DAIHATSU PS-22,6PSTB-22		exhaust valve seat	∅ 96×∅ 75×30×90°	
DAIHATSU 6PSTB-22		exhaust valve seat	∅ 96×∅ 75×25×90°	
DAIHATSU 6PS-20		inlet valve spindle	∅ 87×∅ 17×264×90°	
DAIHATSU 6PS-20		exhaust valve spindle	∅ 82×∅ 17×266×90°	
DAIHATSU 6PS-20		inlet valve seat	∅ 90×∅ 78×10.5×90°	
DAIHATSU 6PSHT (G) C-20		exhaust valve seat	∅ 89×∅ 75×13×90°	
DAIHATSU 6PS-20		in/exh valve guide	∅ 382×∅ 81×∅ 71×29	
DAIHATSU 6PSHGC-20		inlet valve seat	∅ 97×∅ 80×13×90°	
DAIHATSU DK28		inlet valve seat	∅ 101×∅ 84×14×120°	
DAIHATSU DK28		in/exh valve guide	∅ 50×∅ 32×∅ 20×200	401879Z
DAIHATSU DK28		inlet valve spindle	∅ 95×∅ 20×396.5×120°	
DAIHATSU DK28		exhaust valve spindle	∅ 90×∅ 20×396.5×120°	
DAIHATSU DK28		exhaust valve spindle	∅ 90×∅ 20×396.5×120°	
DAIHATSU DS (M) -26 (D)		inlet valve spindle	∅ 85×∅ 18×368×120°	
DAIHATSU DS (M) -26 (D)		exhaust valve spindle	∅ 80×∅ 18×408×90°	
DAIHATSU DS (M) -26		inlet valve seat	∅ 90×∅ 72×13×120°	E265600070C/A
DAIHATSU DS (M) -26		exhaust valve seat	∅ 91.7×∅ 70×28×90°	
DAIHATSU DS(M)-26		inlet valve guide	∅ 34×∅ 32×∅ 18×200	
DAIHATSU DS(M)-26		exhaust valve guide	∅ 34×∅ 25×∅ 18×230.5	
DAIHATSU 6DSM26 (L)		exhaust valve seat	∅ 91.7×∅ 58×32×90°	
DAIHATSU DS(M)-26		in/exh valve guide	∅ 34×∅ 25×∅ 18×242	

DAIHATSU DS (M) -32 (L/F)	inlet valve spindle	∅ 110×∅ 24×470×90°	
DAIHATSU DS (M) -32 (L/F) , DL-32	exhaust valve spindle	∅ 100×∅ 24×525×90°	
DAIHATSU DS (M) -32 (F)	inlet valve seat	∅ 113×∅ 95×14×90°	
DAIHATSU DS (M) -32 (L)	exhaust valve seat	∅ 115×∅ 75×40×90°	
DAIHATSU 8DSM-32L	inlet valve guide	∅ 47×∅ 35×∅ 242×17.5	
DAIHATSU DS(M)-32(L)	exhaust valve guide	∅ 47×∅ 32×∅ 24×274	
DAIHATSU 8DSM-32L	inlet valve seat	∅ 113×∅ 95×11.7×90°	
DAIHATSU 6DS-32	inlet valve guide	∅ 47×∅ 35×∅ 24×202.5	
DAIHATSU 6DS-32	exhaust valve guide	∅ 47×∅ 32×∅ 24×274	
DAIHATSU DL-32, 8DLM-32	inlet valve spindle	∅ 110×∅ 24×470.5×120	E325700010D
DAIHATSU 8DLM-32	inlet valve seat	∅ 113×∅ 95×14×120°	E325600070C
DAIHATSU PS-26D	inlet valve spindle	∅ 112×∅ 18×364×90°	C102430010Z
DAIHATSU PS-26D/H	exhaust valve spindle	∅ 102×∅ 20×364×90°	26D: C102530010Z
DAIHATSU PS-26D	inlet valve seat	∅ 117×∅ 100×13×90°	
DAIHATSU PS-26D/H	exhaust valve seat	∅ 115×∅ 90×27.5×90°	
DAIHATSU PS-26ESL	in/exh valve seat	∅ 120×∅ 99×16×90°	
DAIHATSU PS-26D/H	inlet valve guide	∅ 38×∅ 34×∅ 18×175	
DAIHATSU PS-26D/H	exhaust valve guide	∅ 37.5×∅ 28×∅ 20×203	
DAIHATSU PS-26H	inlet valve spindle	∅ 112×∅ 18×364×120°	
DAIHATSU PS-26H	inlet valve seat	∅ 117×∅ 100×12.5×120°	
DAIHATSU 6PS-26	exhaust valve seat	∅ 115×∅ 95×29×90°	
DAIHATSU 8PS-26D	inlet valve guide	∅ 38×∅ 34×∅ 18×200	
DAIHATSU 6PSH(TD)-26H	valve guide upper	∅ 39.5×∅ 36×∅ 20×92	C265800090A
DAIHATSU 6PSH(TD)-26H	valve guide lower	∅ 34.5×∅ 28×∅ 20×99	C265800100A
DAIHATSU PS-26H	inlet valve seat	∅ 121×∅ 100×12.5×120°	
DAIHATSU 6DSM-28, 6D (L) M-28S (L)	inlet valve spindle	∅ 100×∅ 21×401.5×120°	
DAIHATSU 6DS (M) -28	exhaust valve spindle	∅ 90×∅ 21×458×90°	E285800070
DAIHATSU DLM-28S, DS-28	inlet valve seat	∅ 106×∅ 90×14×120°	
DAIHATSU DLM-28S	inlet valve guide	∅ 40×∅ 30×∅ 21×235	
DAIHATSU 6DSM-28,6DLM-28S(L)	valve guide upper	∅ 40×∅ 35×∅ 21×120.5	
DAIHATSU 6DSM-28	valve guide lower	∅ 34×∅ 30×∅ 21×95.5	
DAIHATSU 6DSM-28	exhaust valve guide	∅ 40×∅ 30×∅ 21×235	
DAIHATSU 6DL-20	inlet valve spindle	∅ 71×∅ 15×294×120°	
DAIHATSU 6DL-20	exhaust valve spindle	∅ 67×∅ 15×292.5×90°	
DAIHATSU 6DL-20	inlet valve seat	∅ 78×∅ 62×14×120°	
DAIHATSU 6DL-20	exhaust valve seat	∅ 76×∅ 50.5×32.5×90°	
DAIHATSU 6DSM-32(F)	inlet valve guide	∅ 47×∅ 35×∅ 24×213	
DAIHATSU 6DL-20	exhaust valve seat	∅ 74×∅ 58×14×90°	
DAIHATSU DL-19, DS-19A	inlet valve spindle	∅ 67×∅ 15×292×120°	
DAIHATSU DL-19	exhaust valve spindle	∅ 63×∅ 15×292×90°	
DAIHATSU DL-19, DS-19 (A)	inlet valve seat	∅ 74×∅ 60.5×10×120°	
DAIHATSU (6) DL-19, DS-19A	exhaust valve seat	∅ 74×∅ 48×26×90°	E185660090Z
DAIHATSU DS-19A	valve guide upper	∅ 41.5×∅ 28×∅ 15×90	
DAIHATSU DS-19A	valve guide lower	∅ 27.5×∅ 24×∅ 15×30	
DAIHATSU DL-19, DS-19A	in/exh valve guide	∅ 29×∅ 25×∅ 15×133	
DAIHATSU 6DL-16	inlet valve spindle	∅ 56×∅ 14×256×120°	
DAIHATSU 6DL-16	exhaust valve spindle	∅ 56×∅ 14×255×90°	
DAIHATSU 6DL-16	inlet valve seat	∅ 63×∅ 48.5×10×12°	E165600060A
DAIHATSU 6DL-16	exhaust valve seat	∅ 63×∅ 50×10×90°	E165600120A
DAIHATSU 6DL-16	inlet valve guide	∅ 26×∅ 23×∅ 14×120	
DAIHATSU 6DL-16	exhaust valve guide	∅ 37.5×∅ 24×∅ 14×120	
DAIHATSU DL-16	exhaust valve seat	∅ 66×∅ 44×26.5×90°	
DAIHATSU DL-28,6DLM-28S(L)	exhaust valve spindle	∅ 90×∅ 21×457×90°	
DAIHATSU DS-28, 6DSM-28, 6DLM-28S (L)	exhaust valve seat		
DAIHATSU 6DLM-28S(L)	inlet valve guide	∅ 40×∅ 32×∅ 21×175	
DAIHATSU 6DSM-28,6DLM-28S(L)	exhaust valve guide	∅ 40×∅ 30×∅ 21×228	
DAIHATSU 6DS-28	exhaust valve seat	∅ 105×∅ 68×38×90°	
DAIHATSU 5PS-18D	inlet valve spindle	∅ 81×∅ 15×222×90°	
DAIHATSU 5PS-18D	exhaust valve spindle	∅ 73×∅ 16×222.5×90°	
DAIHATSU 5PS-18D	exhaust valve guide	∅ 45.5×∅ 22×∅ 16×100	

DAIHATSU DSB-22,DL-22,6DLM-22S	inlet valve spindle	∅ 76×∅ 16×300×120°
DAIHATSU DSB-22,DL-22,6DLM-22S	exhaust valve spindle	∅ 71×∅ 16×300×90°
DAIHATSU DL-22, 6DLM-22S	inlet valve seat	∅ 83×∅ 66×14×120°
DAIHATSU 6DL(M)-22(S)	exhaust valve seat	∅ 80×∅ 64×14×90°
DAIHATSU 6DLM-22S,6DSB-22	in/exh valve guide	∅ 28×∅ 26×∅ 16×155.5
DAIHATSU 6M26K	exhaust valve spindle	∅ 95×∅ 20.5×375×120°
DAIHATSU 6M26K	in/exh valve spindle	∅ 95×∅ 21×375×120°
DAIHATSU 6M26K	exhaust valve seat	∅ 110×∅ 80×20×120°
DAIHATSU DKM26	inlet valve spindle	∅ 85×∅ 18×396.4×120°
DAIHATSU DKM26	exhaust valve spindle	∅ 85×∅ 18×396.4×120°
DAIHATSU DKM-26	inlet valve seat	∅ 92×∅ 71.5×14×120°
DAIHATSU DKM-26	exhaust valve seat	∅ 93×∅ 62×44×120°
DAIHATSU 6DKM-26	in/exh valve guide	∅ 50×∅ 30×∅ 18×188
DAIHATSU DL-26, DLM-26	inlet valve spindle	∅ 90×∅ 19×439.5×120°
DAIHATSU DL-26	exhaust valve spindle	∅ 85×∅ 19×440×90°
DAIHATSU DL-26	inlet valve seat	∅ 95×∅ 80×13×120°
DAIHATSU DL (M) -26	exhaust valve seat	∅ 96.5×∅ 62×37×90°
DAIHATSU DL-26	exhaust valve guide	∅ 39×∅ 26×∅ 19×210
DAIHATSU PS26A, DLM-26	exhaust valve spindle	∅ 85×∅ 19×440×90°
DAIHATSU DLM-26	valve guide upper	∅ 39×∅ 35×∅ 19×100.5
DAIHATSU DLM-26	valve guide lower	∅ 34×∅ 26×∅ 19×97
DAIHATSU 6DSM-28	inlet valve spindle	∅ 100×∅ 21×401.5×90°
DAIHATSU 6DS-28	inlet valve seat	∅ 106×∅ 90×14×90°
DAIHATSU DK-20	inlet valve spindle	∅ 64×∅ 14×291.5×120°
DAIHATSU DK-20	exhaust valve spindle	∅ 64×∅ 14×291.5×120°
DAIHATSU DK-20	inlet valve seat	∅ 76×∅ 52×22.5×120°
DAIHATSU 6DLM-40	inlet valve spindle	∅ 140×∅ 29×665×120°
DAIHATSU 6DLM-40	exhaust valve spindle	∅ 130×∅ 29×655×120°
DAIHATSU 6DLM-40	valve guide upper	∅ 59×∅ 52×∅ 29×220
DAIHATSU 6DLM-40	valve guide lower	∅ 50×∅ 40×∅ 29×80

	Engine	Description	Dimension	P/N
YANMAR	6N18AL-EV	inlet valve spindle	∅ 58×∅ 14×287×120°	
YANMAR	6N18AL-EV	exhaust valve spindle	∅ 58×∅ 14×287×120°	
YANMAR	6N18AL-EV	inlet valve seat	∅ 63×∅ 48×12×120°	
YANMAR	6N18AL-EV	exhaust valve seat	∅ 67×∅ 46×29×120°	
YANMAR	N330,6N330-UN	inlet valve seat	∅ 122×∅ 100×17.92×12°	132654-11840
YANMAR	G250-EH	inlet valve guide	∅ 50×∅ 30×∅ 18×197	
YANMAR	GL-ST, G250-EH	exhaust valve guide	∅ 44×∅ 30×∅ 18×217	
YANMAR	6N330-UN	in/exh valve guide	∅ 53.5×∅ 42×∅ 24×275	
YANMAR	N330	exhaust valve spindle	∅ 110×∅ 24×624×90°	
YANMAR	N330	exhaust valve seat	∅ 122×∅ 100.3×20×90°	132654-11850
YANMAR	6N330-UN	exhaust valve seat	∅ 138×∅ 88×49×90°	132659-11101
YANMAR	6GL-ET/UT/HT	inlet valve spindle	∅ 80×∅ 18×346×90°	
YANMAR	6GL-ET/UT/HT	exhaust valve spindle	∅ 80×∅ 18×365×90°	
YANMAR	6GL-UT,6GL-ET	exhaust valve seat	∅ 91×∅ 67×26.5×90°	
YANMAR	6GL-ET,6GL-UT	in/exh valve seat	∅ 84×∅ 67.2×12.5×90°	
YANMAR	6GL-UT	inlet valve guide	∅ 50×∅ 30×∅ 18×197	
YANMAR	6GL-UT	exhaust valve guide	∅ 36.5×∅ 26×∅ 18×194	
YANMAR	6GL-ET(ST)	inlet valve spindle	∅ 85×∅ 18×346×90°	
YANMAR	6GL-ET(ST)	exhaust valve spindle	∅ 85×∅ 18×364.5×90°	
YANMAR	6GL-UT	in/exh valve seat	∅ 87.5×∅ 69×12×90°	
YANMAR	6GL-ET, 6GL-UT	in/exh valve guide	∅ 44×∅ 30×∅ 18×217	
YANMAR	6GL-UT	in/exh valve seat	∅ 89×∅ 75×12.5×90°	
YANMAR	GL-ST,6GL-ET/HT	in/exh valve guide	∅ 50×∅ 30×∅ 18×197	
YANMAR	6GL-ET	inlet valve spindle	∅ 79.5×∅ 18×348×90°	
YANMAR	6GL-ET	exhaust valve spindle	∅ 80×∅ 17.2×364×90°	
YANMAR	6GL-ST/ET	in/exh valve seat	∅ 89×∅ 73×12.5×90°	
YANMAR	6GL-ET	inlet valve guide	∅ 50×∅ 30×∅ 18×197	
YANMAR	6GL-ET	exhaust valve guide	∅ 32.5×∅ 29.5×∅ 17.3×182	
YANMAR	6GL-ET	exhaust valve guide	∅ 44×∅ 30×∅ 18×210	

YANMAR	6GL-ET	exhaust valve guide	∅ 50×∅ 30×∅ 18×217	
YANMAR	GL-HT	inlet valve guide	∅ 50×∅ 30×∅ 18×197	
YANMAR	6HAL-TN	inlet valve seat	∅ 61×∅ 52×7.5×120°	126650-11080
YANMAR	6HAL-TN	exhaust valve seat	∅ 50×∅ 42×8×90°	126650-11090
YANMAR	6HAL-TN	inlet valve guide	∅ 22×∅ 16×∅ 12×76	126650-11160
YANMAR	6HAL-TN	exhaust valve guide	∅ 22×∅ 16×∅ 12×76	126650-11170
YANMAR	6KFL-UT	in/exh valve spindle	∅ 48×∅ 11×177×90°	
YANMAR	6KFL-UT	in/exh valve seat	∅ 51×∅ 41.5×7×90°	
YANMAR	6KFL-UT	inlet valve guide	∅ 20×∅ 19×∅ 11×78	
YANMAR	6KFL-UT	exhaust valve guide	∅ 20×∅ 19×∅ 11×82	
YANMAR	6KFL-UT	in/exh valve guide	∅ 20×∅ 19×∅ 11×80	
YANMAR	KFL-UT	inlet valve guide	∅ 20×∅ 19×∅ 11×78	
YANMAR	6M(A)L-HT/HTS	inlet valve spindle	∅ 83×∅ 18×281×120°	137600-11100
YANMAR	6M(A)L-HT/HTS	exhaust valve spindle	∅ 78×∅ 18×281×120°	132310-1110
YANMAR	MAL	inlet valve seat	∅ 85×∅ 73×12×120°	
YANMAR	M (A) L- (HT/HTS)	exhaust valve seat	∅ 82×∅ 70×12×120°	137904-11080
YANMAR	M(A)L-(HT/HTS)	in/exh valve guide	∅ 50×∅ 30×∅ 18×158	
YANMAR	6MAL,6MAL-20/24	inlet valve seat	∅ 85×∅ 75×13×120°	
YANMAR	MAL	exhaust valve seat	∅ 82.7×∅ 70×12×120°	
YANMAR	6ML-HT	inlet valve seat	∅ 86×∅ 70×12×120°	
YANMAR	MAL	exhaust valve seat	∅ 90×∅ 74×12×120°	
YANMAR	MAL-HTS	inlet valve seat	∅ 85×∅ 70×10.5×120°	
YANMAR	MAL-HTS	inlet valve seat	∅ 87×∅ 74×12.5×120°	
YANMAR	6MAL-DT	inlet valve spindle	∅ 71×∅ 16×270×120°	
YANMAR	6MAL-DT	exhaust valve spindle	∅ 66×∅ 16×270×120°	
YANMAR	6MAL-DT	inlet valve seat	∅ 77×∅ 65×10×120°	
YANMAR	6MAL-DT,WZL402437	exhaust valve seat	∅ 72×∅ 58×10.7×120°	
YANMAR	6MAL-DT	in/exh valve guide	∅ 47.7×∅ 28×∅ 16×150	
YANMAR	6MAL-DT,WZL402679	exhaust valve seat	∅ 72×∅ 58×10.7×90°	
YANMAR	M200L-DT	inlet valve guide	∅ 42.5×∅ 24×∅ 14×130	
YANMAR	M200L-DT	exhaust valve guide	∅ 42.5×∅ 24×∅ 14×130	
YANMAR	6LAH-UTE	inlet valve spindle	∅ 49×∅ 11×180×120°	148616-11101
YANMAR	6LAH-UTE	exhaust valve spindle	∅ 49×∅ 11×180×90°	148616-11111
YANMAR	6LAH-UTE	inlet valve seat	∅ 51×∅ 42×7×120°	148616-11080
YANMAR	6LAH-UTE	exhaust valve seat	∅ 51×∅ 42×8.5×90°	148616-11190
YANMAR	6LAH-UTE	in/exh valve guide	∅ 20×∅ 19×∅ 11×85	148616-11170
YANMAR	6U(A)L-ST,6U(A)L-UT	exhaust valve spindle	∅ 70×∅ 16×303×90°	
YANMAR	6U(A)L-ST,6U(A)L-UT	inlet valve spindle	∅ 70×∅ 16×303×120°	
YANMAR	6U(A)L-ST/UT	inlet valve seat	∅ 76×∅ 60×10.5×120°	139654-11820
YANMAR	6U(A)L-ST/UT	exhaust valve seat	∅ 76×∅ 60×10×90°	139654-11830
YANMAR	6U(A)L-ST/UT	inlet valve guide	∅ 47.5×∅ 28×∅ 16×155	
YANMAR	6U(A)L-ST/UT	exhaust valve guide	∅ 47.5×∅ 28×∅ 16×155	
YANMAR	MF33-STDI	inlet valve spindle	∅ 135.5×∅ 30×546×120°	
YANMAR	MF33-STDI	exhaust valve spindle	∅ 136×∅ 30×546×90°	
YANMAR	MF33-STDI	inlet valve seat	∅ 153×∅ 116×44.5×120°	
YANMAR	MF33-STDI	exhaust valve seat	∅ 153×∅ 110×42×90°	
YANMAR	6RAL-T	exhaust valve spindle	∅ 72×∅ 16×237×90°	
YANMAR	6R(A)-(H)T	in/exh valve spindle	∅ 72×∅ 16×238×120°	
YANMAR	6RL-HT,6RL-T	in/exh valve seat	∅ 78×∅ 65×11×120°	
YANMAR	6R(A)L-(H)T	in/exh valve guide	∅ 48×∅ 26×∅ 16×129	
YANMAR	6R(A)L-(H)T	exhaust valve guide	∅ 48×∅ 26×∅ 16×134	
YANMAR	6RAL-HT	exhaust valve seat	∅ 78.5×∅ 65×11×120°	
YANMAR	M200L-ET/UT/UN/DT	inlet valve spindle	∅ 66×∅ 14×282×120°	141616-11100,1416.
YANMAR	M200L-ET/UT/UN/DT	exhaust valve spindle	∅ 66×∅ 14×283×90°	141616-11110,1416.
YANMAR	M200L-DN/ST/ET/UN	inlet valve seat	∅ 72×∅ 58×11×120°	137676-11080, 137
YANMAR	M200L-SN/ST/ET/UT/UN	exhaust valve seat	∅ 78×∅ 48×30×90°	141646-11091, 541
YANMAR	M200L-ET, S285L-ST	exhaust valve guide	∅ 42.5×∅ 24×∅ 14×130	541616-11170
YANMAR	M200L-SN	inlet valve spindle	∅ 66×∅ 14×282×120°	
YANMAR	M200L-SN	exhaust valve spindle	∅ 66×∅ 14×283×90°	
YANMAR	M200L	exhaust valve seat	∅ 72×∅ 58×11×90°	

YANMAR	M200L-UT(力顺WZL402446),M200L-SN,S185-T	inlet valve guide	Φ 42.5×Φ 24×Φ 14×130	M200L-ET/UT 14661
YANMAR	M200L-UT,力顺WZL402446,M200L-SN,S185-T	exhaust valve guide	Φ 42.5×Φ 24×Φ 14×130	
YANMAR	M200L-SN	inlet valve guide	Φ 40×Φ 24×Φ 14×130.4	
YANMAR	S185L-ST/UT	inlet valve spindle	Φ 62×Φ 14×282×120°	
YANMAR	S185L-ST	inlet valve seat	Φ 66×Φ 54×11×120°	
YANMAR	S185L-ST	exhaust valve seat	Φ 66×Φ 54×11×90°	
YANMAR	M220L-EN,T220L-UT	exhaust valve spindle	Φ 73×Φ 16×305×90°	
YANMAR	M220L-EN,T220L-UT	inlet valve spindle	Φ 73×Φ 16×305×120°	
YANMAR	T220L-UT	inlet valve seat	Φ 76×Φ 62×12×120°	
YANMAR	T220L-UT	exhaust valve seat	Φ 76×Φ 62×12×90°	
YANMAR	T220L-UT	inlet valve guide	Φ 47.5×Φ 28×Φ 16×155	WZL403140(力顺)
YANMAR	T220L-UT	exhaust valve guide	Φ 47.5×Φ 28×Φ 16×155	WZL403134(力顺)
YANMAR	M220L-EN	exhaust valve seat	Φ 85×Φ 53×37×90°	
YANMAR	M220L-EN	inlet valve guide	Φ 47.5×Φ 28×Φ 16×135	
YANMAR	M220L-EN	exhaust valve guide	Φ 47.5×Φ 28×Φ 16×135	
YANMAR	SC-2	inlet valve spindle	Φ 70×Φ 16×304×120°	
YANMAR	SC-2	exhaust valve spindle	Φ 70×Φ 16×304×90°	
YANMAR	6AL-STD	inlet valve spindle	Φ 53×Φ 13×237.5×120°	140623-11100
YANMAR	6AL-STD	exhaust valve spindle	Φ 53×Φ 13×237.5×90°	140673-11110
YANMAR	6KFL-T/HT,4KDL	inlet valve spindle	Φ 63×Φ 14×188×120°	
YANMAR	6KFL-T/HT,4KDL	exhaust valve spindle	Φ 58×Φ 14×188×120°	
YANMAR	6KFL-HT	inlet valve seat	Φ 63×Φ 53.5×7×120°	
YANMAR	6KFL-HT	exhaust valve seat	Φ 58×Φ 49×10×120°	
YANMAR	6KFL-(HT)	inlet valve guide	Φ 34.5×Φ 22×Φ 14×94.5	
YANMAR	6KFL	exhaust valve guide	Φ 34.5×Φ 22×Φ 14×98	
YANMAR	4KDL	in/exh valve guide	Φ 34.5×Φ 22×Φ 14×98	
YANMAR	6ZL-ST	inlet valve spindle	Φ 100×Φ 21×418×120°	
YANMAR	6ZL-ST	exhaust valve spindle	Φ 100×Φ 21×448×90°	
YANMAR	6ZL-ST	inlet valve seat	Φ 108×Φ 85×17×120°	
YANMAR	6ZL-ST	exhaust valve seat	Φ 108×Φ 85×17×90°	
YANMAR	6ZL-ST	in/exh valve guide	Φ 60×Φ 36×Φ 21×220	
YANMAR	6LDL-F(140)	in/exh valve spindle	Φ 58×Φ 14×188×120°	
YANMAR	6ZL-DT,6Z-ST	inlet valve spindle	Φ 92×Φ 21×419×120°	
YANMAR	6ZL-DT,6Z-ST	exhaust valve spindle	Φ 92×Φ 21×448×90°	8GDY8123
YANMAR	6ZL-DT, 6Z-ST	exhaust valve seat	Φ 106.7×Φ 78×31×90°	
YANMAR	6ZL-DT	inlet valve guide	Φ 52×Φ 36×Φ 21×235	
YANMAR	6ZL-DT	exhaust valve guide	Φ 43×Φ 28×Φ 21×218	
YANMAR	6ZL-DT	exhaust valve guide	Φ 43×Φ 28×Φ 21×218	
YANMAR	Z280-ST3	inlet valve spindle	Φ 92×Φ 21×417×120°	
YANMAR	Z280-ST3,E280A-ET	exhaust valve spindle	Φ 92×Φ 21×417×90°	
YANMAR	Z280A-ET, 6ZL-DT	inlet valve seat	Φ 100×Φ 78×15×120°	
YANMAR	Z280	exhaust valve seat	Φ 100×Φ 78×15×90°	142617-11120
YANMAR	Z280	exhaust valve guide	Φ 60×Φ 36×Φ 21×200	
YANMAR	Z280	inlet valve guide	Φ 60×Φ 36×Φ 21×200	
YANMAR	Z280	exhaust valve guide	Φ 42×Φ 28×Φ 21×190	
YANMAR	S165L-(H)T,S165L-ST,S165L-HN	inlet valve spindle	Φ 55×Φ 12×223×120°	
YANMAR	S165L-T/ST/HN	exhaust valve spindle	Φ 55×Φ 12×223×90°	
YANMAR	S165L-T,S165L-HN,S165L-ST	inlet valve seat	Φ 56×Φ 46×8.5×120°	
YANMAR	S165L-(H)T,S165L-HN,S165L-ST	exhaust valve seat	Φ 56×Φ 46×8.5×90°	
YANMAR	S165L-T,S165L-ST	inlet valve guide	Φ 23×Φ 21×Φ 12×113	
YANMAR	S165L-T,S165L-ST	exhaust valve guide	Φ 23×Φ 21×Φ 12×105	
YANMAR	S165L-HN	inlet valve spindle	Φ 55×Φ 12×223×120°	
YANMAR	S165L-HN	exhaust valve spindle	Φ 55×Φ 12×223×90°	
YANMAR	S165-HN	inlet valve seat	Φ 56×Φ 44×8.5×120°	
YANMAR	S165-HN	exhaust valve seat	Φ 56×Φ 44×8.5×90°	
YANMAR	AL-UTD, 6AT-STD	inlet valve seat	Φ 56×Φ 44×9×120°	140623-11080
YANMAR	AL-UTD, 6AT-STD	exhaust valve seat	Φ 56×Φ 44×9×90°	140623-11090
YANMAR	KAL-T	in/exh valve spindle	Φ 48×Φ 11×177×90°	
YANMAR	KAL-T	inlet valve guide	Φ 20×Φ 19×Φ 11×80	
YANMAR	KAL-T	exhaust valve guide	Φ 20×Φ 19×Φ 11×78	

YANMAR S185DL-UT, S170R-ST	exhaust valve seat	∅ 73×∅ 44.5×32.5×90°	
YANMAR 6N260-SN	inlet valve spindle	∅ 92×∅ 19×464×120°	
YANMAR 6N260-SN	exhaust valve spindle	∅ 88×∅ 19×464×90°	
YANMAR 6N260-SN	inlet valve seat	∅ 100×∅ 78×14×120°	
YANMAR 6N260-SN	exhaust valve seat	∅ 100×∅ 78×16.5×90°	
PIELSTICK 8PC4-2L	inlet valve spindle	∅ 190×∅ 38×1118×120°	
PIELSTICK 8PC4-2L	exhaust valve spindle	∅ 164×∅ 38×988×120°	
PIELSTICK 8PC4-2L	inlet valve seat	∅ 195×∅ 169×17×120°	
PIELSTICK 8PC4-2L	in/exh valve guide	∅ 56×∅ 48×∅ 38×253	
PIELSTICK PC2-2L(V),PC2-3	inlet valve spindle	∅ 125×∅ 24×574×120°	2.015.051
PIELSTICK PC2-2L(V),PC2-3	exhaust valve spindle	∅ 110×∅ 24×574×120°	2.015.002
PIELSTICK PC2-2V	inlet valve seat	∅ 130.5×∅ 115×21×120°	
PIELSTICK PC2-2L	inlet valve seat	∅ 135.5×∅ 113×25×120°	
PIELSTICK PC2.2	inlet valve seat	∅ 142×∅ 115×10×120°	02-1-11-7C
PIELSTICK PC2-2V	exhaust valve seat	∅ 128×∅ 29×181×120°	
PIELSTICK PC2-2V	exhaust valve guide upper	∅ 31×∅ 24×60.5	
PIELSTICK PC2-2V	exhaust valve guide lower	∅ 31×∅ 24×70.5	
PIELSTICK PC2-5L(V)	inlet valve spindle	∅ 125×∅ 24×574×120°	
PIELSTICK PC2-5L(V),12PC2-6V	exhaust valve spindle	∅ 115×∅ 24×574×120°	
PIELSTICK PC2-5 400	in/exh valve spindle	∅ 115×∅ 24×574×120°	02.015.009400
PIELSTICK PC2-5L,14PC2-2V	inlet valve seat	∅ 142×∅ 115×10×120°	
PIELSTICK PC2-5	inlet valve seat	∅ 142×∅ 115×12×120°	02-1-11-6C
PIELSTICK PC2-5	inlet valve seat	∅ 145×∅ 115×12×120°	02-1-11-5C
PIELSTICK PC2-5L	exhaust valve seat	∅ 130×∅ 91×25×120°	
PIELSTICK PC2-5L,PC2-5V, 12PC2V	in/exh valve guide	∅ 30×∅ 24×60	
PIELSTICK PC2-5L,PC2-5V, 12PC2V,PC2-5	in/exh valve guide	∅ 30×∅ 24×70	
PIELSTICK PC2-5	exhaust valve spindle	∅ 115×∅ 24×574×120°	
PIELSTICK PC2-5	inlet valve seat	∅ 142×∅ 115×10×120°	
PIELSTICK PC2-5	inlet valve guide upper	∅ 30×∅ 24×60.5	
PIELSTICK PC2-5	exhaust valve guide upper	∅ 30×∅ 24×60.8	
PIELSTICK PC2-5	exhaust valve guide	∅ 37.5×∅ 32×∅ 24×186	
PIELSTICK 18PC2-5V	starting valve	∅ 46×∅ 15×269.5×90°	
PIELSTICK PC2-5L,18PC2-5V	inlet valve seat	∅ 134×∅ 115×12×120°	
PIELSTICK 18PC2-5V	inlet valve seat	∅ 132.5×∅ 105×19.5×120°	
PIELSTICK 18PC2-5V	exhaust valve seat	∅ 136×∅ 107×14×120°	
PIELSTICK PC2-5,力顺WZL100024	exhaust valve seat	∅ 130.5×∅ 29×190×120° (有筋)	
PIELSTICK PC2-5	in/exh valve seat	∅ 127×∅ 108×12×120°	
PIELSTICK PC2-6L	inlet valve spindle	∅ 125×∅ 24×566×120°	
PIELSTICK 12PC2-6V	inlet valve spindle	∅ 125×∅ 24×566×120°	
PIELSTICK 12PC2-6V	inlet valve seat	∅ 132×∅ 110×12×120°	
PIELSTICK 12PC2-6V	inlet valve guide upper	∅ 111×∅ 45×∅ 24×152	
PIELSTICK PC2-6L, 12PC2-6V	exhaust valve guide upper	∅ 111×∅ 45×∅ 24×152	
PIELSTICK PC2-6L, PC2-6V, 12PC2-6V, 14PC2-6	exhaust valve guide lower	∅ 44.5×∅ 32×∅ 24×100	
PIELSTICK 14VPC2-6	inlet valve guide upper	∅ 111×∅ 45×∅ 24×152	
PIELSTICK 12PC2-6V, PC2-6L, 14VPC2-6	inlet valve guide lower	∅ 44.5×∅ 32×∅ 24×75	02-6-09-0C
PIELSTICK 14VPC2-6	exhaust valve guide upper	∅ 111×∅ 45×∅ 24×152	
PIELSTICK PC2-6V	inlet valve seat	∅ 128×∅ 108×12×118°	
PIELSTICK PC2-6L	inlet valve seat	∅ 127×∅ 108×12×120°	319869
PIELSTICK 18PC2-5V	exhaust valve seat	∅ 136×∅ 107×14×120°	
PIELSTICK 14VPC2-6	exhaust valve guide lower	∅ 44.6×∅ 32×∅ 24.3×100	
PIELSTICK PC2-6	valve guide lower	∅ 44.5×∅ 32×∅ 24×100	
PIELSTICK 12PC2-2V	exhaust valve guide upper	∅ 30×∅ 24×60.7	
PIELSTICK 12PC2-2V	exhaust valve guide lower	∅ 30×∅ 24×70	
PIELSTICK PC2-5	in/exh valve guide	∅ 30×∅ 24×70	02-06-1-4C
PIELSTICK PC2-5	in/exh valve guide	∅ 30×∅ 24×53	02-06-8-5C
PIELSTICK PC2-5	in/exh valve guide	∅ 30×∅ 24×60.5	02-06-2-6C
PIELSTICK PC2-5	starting valve guide	∅ 44.5×∅ 32×∅ 24.2×10	02-06-06-0C
PIELSTICK PC2-5	in/exh valve guide	∅ 111×∅ 45×∅ 24×152	02-06-17-0C
PIELSTICK PC2-5	starting valve	∅ 46×∅ 15×256×90.5°	02-9-17-0CH
PIELSTICK PC2.5	starting valve	∅ 46×∅ 15×270×90.5°	2-03-03-024BC

PIELSTICK PC2-5 400	inlet valve spindle	∅ 125×∅ 24×574×120°	400.015.003
PIELSTICK PC2-5 400	exhaust valve spindle	∅ 115×∅ 24×574×120°	108522-2
PIELSTICK PA6-280,NKK.SEMT 6PA6L	inlet valve spindle	∅ 93×∅ 18×330×120°	
PIELSTICK PA6-280,NKK.SEMT 6PA6L	exhaust valve spindle	∅ 93×∅ 18×327×90°	
PIELSTICK PA6-280	inlet valve seat	∅ 100.24×∅ 82×16×120°	
PIELSTICK PA6-280, 6PA6L	exhaust valve seat	∅ 100.24×∅ 82×16×90°	
PIELSTICK PA6-280	in/exh valve guide	∅ 28×∅ 18×152	600-03-005-41C
PIELSTICK PA6-280	inlet valve seat	∅ 100×∅ 82×16×120°	
PIELSTICK PA6-280	exhaust valve seat	∅ 100×∅ 82×16×90°	

	Engine	Description	Dimension	P/N
NIIGATA	6M34A(EGF)T	in/exh valve spindle	∅ 134×∅ 25×568×120°	
NIIGATA	6M34A(EGF)T	inlet valve seat	∅ 150×∅ 109×30×120°	
NIIGATA	6M34A(EGF)T	exhaust valve seat	∅ 150×∅ 109×34×120°	
NIIGATA	6M34AGT,6M34AFT	in/exh valve guide	∅ 82×∅ 40×∅ 25×216	
NIIGATA	AH27	exhaust valve spindle	∅ 104×∅ 22.2×460×90°	
NIIGATA	AH27	exhaust valve seat	∅ 124×∅ 95×25×90°	
NIIGATA	270,MS27ASC	exhaust valve spindle	∅ 109×∅ 22.5×460×90°	
NIIGATA	MS27ASC,270	inlet valve seat	∅ 124×∅ 96×28×90°	
NIIGATA	MS27ASC,270	exhaust valve seat	∅ 130×∅ 95×30×90°	
NIIGATA	6M34X,6M34GX	inlet valve spindle	∅ 112×∅ 24×487×120°	
NIIGATA	6M34X,6M34GX	exhaust valve spindle	∅ 100×∅ 24×525×120°	
NIIGATA	6M34X	inlet valve seat	∅ 119.5×∅ 98×16×120°	
NIIGATA	6M34GX	inlet valve seat	∅ 120×∅ 98×16×120°	
NIIGATA	6M34GX,6M34X	exhaust valve seat	∅ 116×∅ 72×34×120°	
NIIGATA	6M34GX	exhaust valve guide	∅ 70×∅ 40×∅ 24×245	
NIIGATA	6M34GX	starting valve	∅ 30×∅ 16×392×90°	
NIIGATA	6L22X	in/exh valve spindle	∅ 74×∅ 15×283×120°	
NIIGATA	6L13AHS,6HAL-TN,HAL-HTN	inlet valve spindle	∅ 57.5×∅ 12×159×120°	126650-11100
NIIGATA	6L13AHS,6HAL-TN,HAL-HTN	exhaust valve spindle	∅ 47×∅ 12×159×90°	126650-11110
NIIGATA	L13	inlet valve spindle	∅ 57.5×∅ 12×158.5×120°	
NIIGATA	L13	exhaust valve spindle	∅ 47×∅ 12×158×90°	
NIIGATA	6MG31EZ,6MG31BX	inlet valve spindle	∅ 108×∅ 24×453×120°	
NIIGATA	6MG31EZ,6MG31BX	exhaust valve spindle	∅ 94×∅ 24×483×120°	
NIIGATA	8MG31BX	exhaust valve seat	∅ 112×∅ 70×38×120°	
NIIGATA	6MG31BX	exhaust valve guide	∅ 64.5×∅ 40×∅ 24×208	
NIIGATA	8/12PA5-NG	inlet valve spindle	∅ 88×∅ 18×382×120°	UOJ329400
NIIGATA	6/8/12PA5-DF	exhaust valve spindle	∅ 85×∅ 18×380×90°	UOJ320541
NIIGATA	6PA5L	inlet valve seat	∅ 94×∅ 68×23.5×120°	
NIIGATA	6PA5L	exhaust valve seat	∅ 94×∅ 69×13×90°	
NIIGATA	6/8/12PA5-D	inlet valve spindle	∅ 88×∅ 18×382×120°	UOJ320311
NIIGATA	PA5L	inlet valve seat	∅ 94×∅ 68×23.5×120°	
NIIGATA	PA5L	exhaust valve seat	∅ 94×∅ 69×13×90°	
NIIGATA	6PA5L	in/exh valve guide	∅ 28×∅ 18×152	
NIIGATA	6L16X	in/exh valve spindle	∅ 54×∅ 12×227×90°	
NIIGATA	6L16X	in/exh valve seat	∅ 60×∅ 45×10×90°	
NIIGATA	6L16X	in/exh valve guide	∅ 26×∅ 20×∅ 12×118	
NIIGATA	6L16X-C,6L16X-A	inlet valve spindle	∅ 53×∅ 12×232×120°	
NIIGATA	6L16X-C,6L16X-A	exhaust valve spindle	∅ 50×∅ 12×232×90°	
NIIGATA	6L16X-C,6L16X-A	inlet valve seat	∅ 60×∅ 45×9×120°	
NIIGATA	6L16X-C,6L16X-A	exhaust valve seat	∅ 56×∅ 42×8.5×90°	
NIIGATA	6L16X-C	in/exh valve guide	∅ 20×∅ 12×118	
NIIGATA	6L25HX,6L26HLX	inlet valve spindle	∅ 93×∅ 18×402×120°	
NIIGATA	6L25HX,6L26HLX	exhaust valve spindle	∅ 88×∅ 18×400×90°	
NIIGATA	6L25HX,6L26HLX	inlet valve seat	∅ 100×∅ 72×23×120°	
NIIGATA	6L25HX	exhaust valve seat	∅ 100×∅ 73×13×90°	
NIIGATA	6L26HLX	inlet valve guide	∅ 28×∅ 18×182	
NIIGATA	6L26HLX	exhaust valve guide	∅ 28×∅ 18×182	
NIIGATA	6L26HLX	exhaust valve seat	∅ 100×∅ 73×13×90°	
NIIGATA	6L25CXE	inlet valve spindle	∅ 84×∅ 20×359×120°	
NIIGATA	6L25CXE	exhaust valve spindle	∅ 84×∅ 20×359×90°	

NIIGATA	6L25CXE	inlet valve seat	∅ 94×∅ 70×14.5×120°	
NIIGATA	6L25CXE	exhaust valve seat	∅ 94×∅ 70×14.5×90°	
NIIGATA	6L25CXE	in/exh valve guide	∅ 56×∅ 34×∅ 20×193	
NIIGATA	L6F20B	in/exh valve spindle	∅ 80×∅ 18×262.5×90°	(进)806370300(排)81
NIIGATA	6M28GX	inlet valve spindle	∅ 95×∅ 21×412×120°	
NIIGATA	6M28GX	exhaust valve spindle	∅ 84×∅ 21×459×120°	
NIIGATA	6M28GX	exhaust valve seat	∅ 100×∅ 66×27.5×120°	
NIIGATA	6M28GX	in/exh valve guide	∅ 61×∅ 35×∅ 21×225	
NIIGATA	6M28KGHS	exhaust valve spindle	∅ 110×∅ 23×432×120°	
NIIGATA	6M28KGHS	exhaust valve seat	∅ 124×∅ 93×18×120°	
NIIGATA	6M28KEHS	in/exh valve spindle	∅ 110×∅ 23×432×120°	
NIIGATA	6M28KEHS	inlet valve seat	∅ 124×∅ 92×20×120°	
NIIGATA	6M28KEHS	exhaust valve seat	∅ 124×∅ 92×21×120°	
NIIGATA	6M28AFTE	inlet valve spindle	∅ 112×∅ 24×414.5×120°	
NIIGATA	6M28AFTE	inlet valve seat	∅ 128×∅ 86×31×120°	
NIIGATA	6M28AFTE	inlet valve seat	∅ 120×∅ 98×16×120°	
NIIGATA	6M28BFT,6M28AFTE,6M28AGTE	in/exh valve spindle	∅ 111×∅ 24×447.5×120°	
NIIGATA	6M28AFTE,6M28AGTE	exhaust valve seat	∅ 128×∅ 86×31.5×120°	
NIIGATA	6M28AFTE,6M28AGTE	inlet valve seat	∅ 128×∅ 86×30×120°	
NIIGATA	6M28AFTE,6M28AGTE	in/exh valve guide	∅ 71×∅ 37×∅ 24×188	
NIIGATA	6M28AFTE	exhaust valve guide	∅ 71×∅ 37×∅ 24×193	
NIIGATA	25BX,L25BX	in/exh valve spindle	∅ 86.5×∅ 20×326×120°	
NIIGATA	8MG25BX	in/exh valve spindle	∅ 86×∅ 20×326.5×90°	
NIIGATA	8MG25BX	in/exh valve seat	∅ 96×∅ 71×19×120°	
NIIGATA	8MG25BX	in/exh valve seat	∅ 96×∅ 71×20×90°	
NIIGATA	8MG25BX	in/exh valve guide	∅ 56×∅ 34×∅ 20×159	
NIIGATA	L25BX	exhaust valve seat	∅ 92×∅ 71×19×90°	
NIIGATA	8MG31BX	inlet valve guide	∅ 64.5×∅ 40×∅ 24×200	
NIIGATA	6M26ZG	in/exh valve guide	∅ 59×∅ 40×∅ 20×190	
NIIGATA	16MGV28BX	inlet valve spindle	∅ 97×∅ 23×394×120°	23B320310
NIIGATA	16MGV28BX	exhaust valve spindle	∅ 97×∅ 23×394×120°	834320450
NIIGATA	16MGV28BX	inlet valve seat	∅ 106×∅ 86×14×120°	834320751
NIIGATA	16MGV28BX	exhaust valve seat	∅ 106×∅ 78×24×120°	924327601
NIIGATA	6L/6HS	in/exh valve spindle	∅ 72×∅ 14×214×120°	
NIIGATA	6L/6HS	in/exh valve seat	∅ 78×∅ 64×12×120°	
NIIGATA	6L/6HS	in/exh valve guide	∅ 31×∅ 24×∅ 14×115	
NIIGATA	12MGV40X	inlet valve spindle	∅ 135×∅ 28×568×120°	
NIIGATA	12MGV40X	exhaust valve spindle	∅ 118×∅ 28×604×120°	
NIIGATA	12MGV40X	inlet valve seat	∅ 147×∅ 123×18×120°	
NIIGATA	12MGV40X	exhaust valve seat	∅ 138×∅ 93×39×120°	
NIIGATA	12MGV40X	inlet valve guide	∅ 87×∅ 58×28×285.5	
NIIGATA	12MGV40X	exhaust valve guide	∅ 83.5×∅ 48×28×274	
NIIGATA		阀座	∅ 170×∅ 143×17×120°	
NIIGATA	6NSBC-G	inlet valve spindle	∅ 53×∅ 12×231.5×120°	
NIIGATA	6NSBC-G	exhaust valve spindle	∅ 50×∅ 12×232.5×90°	
NIIGATA	6M42	exhaust valve spindle	∅ 150×∅ 34.5×669×90°	
NIIGATA	6M42	exhaust valve guide	∅ 98×∅ 50×∅ 34.5×290	
NIIGATA,HANS	6M31AFTE,LH28RG	inlet valve spindle,exhaust	∅ 118×∅ 25×502×120°	
NIIGATA	6M31AFTE	exhaust valve spindle	∅ 118×∅ 25×503.5×120°	
NIIGATA	6M31AFTE	inlet valve seat	∅ 138.5×∅ 93×35×120°	
NIIGATA	6M31AFTE	exhaust valve seat	∅ 138.5×∅ 93×38×120°	
NIIGATA	6M31AFTE	inlet valve guide	∅ 71×∅ 40×∅ 25×201	
NIIGATA	6M31AFTE	exhaust valve guide	∅ 71×∅ 40×∅ 25×201	
NIIGATA	6M31AFT	exhaust valve guide	∅ 70×∅ 40×∅ 25×201	
NIIGATA	6M37BHS	exhaust valve spindle	∅ 142×∅ 32×522×120°	
NIIGATA	TH28	inlet valve spindle	∅ 97.5×∅ 21×396×120°	
NIIGATA	TH28	exhaust valve spindle	∅ 96×∅ 20×489×90°	
NIIGATA	6L20AX	in/exh valve spindle	∅ 69.5×∅ 15×291.5×90°	
NIIGATA	6L20AX	in/exh valve seat	∅ 76×∅ 59×12×90°	
NIIGATA	6L20AX	in/exh valve guide	∅ 41×∅ 25×∅ 15×156	

NIIGATA 33CX	inlet valve spindle	∅ 110×∅ 24×551×140°
NIIGATA 33CX	exhaust valve spindle	∅ 96×∅ 24×599×120°
NIIGATA 33CX	inlet valve seat	∅ 121×∅ 80×64×140°
NIIGATA 33CX	exhaust valve seat	∅ 117×∅ 72.5×60×120°
NIIGATA 33CX	inlet valve guide	∅ 50×∅ 42×∅ 24×250
NIIGATA 33CX	exhaust valve guide	∅ 100×∅ 40×∅ 24×255
NIIGATA 33CX	inlet valve spindle	
NIIGATA 33CX	inlet valve spindle(燃气)	∅ 110×∅ 24×551×120°
Engine	Description	Dimension
AKASAKA 6DM51SS	exhaust valve spindle	∅ 210×∅ 46×902×120°
AKASAKA 6DM51SS	inlet valve seat	∅ 243.5×∅ 175×72×120°
AKASAKA 6DM51SS	exhaust valve seat	∅ 244×∅ 170.5×69.5×120°
AKASAKA 6DM51SS	exhaust valve guide	∅ 131×∅ 75×∅ 46×460
AKASAKA DM36	inlet valve seat	∅ 158×∅ 126×28×90°
AKASAKA DM46	inlet valve spindle	∅ 196×∅ 42×799×120°
AKASAKA DM46	exhaust valve spindle	∅ 196×∅ 42×799×90°
AKASAKA DM46	inlet valve seat	∅ 221.5×∅ 156×65×120°
AKASAKA DM46	exhaust valve seat	∅ 221.5×∅ 156×65×90°
AKASAKA DM46	exhaust valve seat	∅ 221.5×∅ 156×65.5×90°
AKASAKA DM46	exhaust valve seat	∅ 221.5×∅ 153.5×64×90°
AKASAKA DM46	inlet valve guide	∅ 120×∅ 75×∅ 42×420
AKASAKA DM46	exhaust valve guide	∅ 120×∅ 75×∅ 42×420
AKASAKA DH46	exhaust valve spindle	∅ 184×∅ 40×800×90°
AKASAKA DM38AK	exhaust valve spindle	∅ 155×∅ 35×683×90°
AKASAKA DM38AK	exhaust valve seat	∅ 181×∅ 123.5×56×90°
AKASAKA DM38 (AK)	exhaust valve guide	∅ 89×∅ 55×∅ 35×279
AKASAKA DM38	exhaust valve spindle	∅ 155×∅ 35×695×90°
AKASAKA DM38	exhaust valve seat	∅ 180.5×∅ 122×56×90°
AKASAKA DM33FD	inlet valve seat	∅ 136×∅ 104×25×90°
AKASAKA DM30	inlet valve spindle	∅ 125×∅ 26×555×120°
AKASAKA DM30	exhaust valve spindle	∅ 125×∅ 26×555×100°
AKASAKA DM30	inlet valve seat	∅ 129.5×∅ 97.5×23×120°
AKASAKA DM30	exhaust valve seat	∅ 140.5×∅ 92×39×100°
AKASAKA DM28AR	inlet valve spindle	∅ 112×∅ 25×570×120°
AKASAKA DM28AR, DM28A (K) FD	exhaust valve spindle	∅ 112×∅ 25×570×90°
AKASAKA DM28AR, DM28A (R) FD	inlet valve seat	∅ 118×∅ 90×21.5×120°
AKASAKA DM28AR	exhaust valve seat	∅ 131.6×∅ 88×38×90°
AKASAKA DM28A (R) FD	exhaust valve seat	∅ 132×∅ 87×40×90°
AKASAKA 6MH25SS	in/exh valve spindle	∅ 100×∅ 22×443×90°
AKASAKA 6MH25SS	inlet valve seat	∅ 107×∅ 87×20×90°
AKASAKA 6MH25SS	exhaust valve seat	∅ 118×∅ 87×37×90°
AKASAKA A41	inlet valve spindle	∅ 176×∅ 38×810×120°
AKASAKA A41	exhaust valve spindle	∅ 176×∅ 38×810×100°
AKASAKA A41	inlet valve seat	∅ 199×∅ 136×64.5×120°
AKASAKA A41	exhaust valve seat	∅ 199×136.5×64×∅ 100°
AKASAKA A41	exhaust valve guide	∅ 106×∅ 60×∅ 38×325
AKASAKA A37	inlet valve spindle	∅ 160×∅ 35×749×120°
AKASAKA A37	exhaust valve spindle	∅ 162×∅ 35×749×100°
AKASAKA A37	exhaust valve spindle	∅ 162×∅ 35×749×120°
AKASAKA A37	inlet valve seat	∅ 165×∅ 126×30×120°
AKASAKA A37	exhaust valve seat	∅ 178.5×∅ 123×59×100°
AKASAKA A37	exhaust valve seat	∅ 178.5×∅ 123×59×120°
AKASAKA A37	exhaust valve seat	∅ 179×∅ 123.5×55×100°
AKASAKA A37	inlet valve guide	∅ 158×∅ 55×∅ 35×370
AKASAKA A37	exhaust valve guide	∅ 95×∅ 55×∅ 35×322
AKASAKA A34	exhaust valve spindle	∅ 145×∅ 32×694×100°
AKASAKA A34	inlet valve seat	∅ 151×∅ 116×28×120°
AKASAKA A34	inlet valve seat	∅ 151×∅ 116×28×120°
AKASAKA A34	exhaust valve seat	∅ 164×∅ 110.8×52×100°
AKASAKA A34	exhaust valve guide	∅ 92×∅ 52×∅ 32×280

AKASAKA A31	inlet valve spindle	∅ 135×∅ 28×633×120°
AKASAKA A31	exhaust valve spindle	∅ 134×∅ 28×633×100°
AKASAKA A31	inlet valve seat	∅ 140×∅ 103×24×120°
AKASAKA A31	exhaust valve seat	∅ 147×∅ 95×48×100°
AKASAKA A31	inlet valve guide	∅ 133×∅ 50×∅ 28×305
AKASAKA A31	exhaust valve guide	∅ 81×∅ 50×∅ 28×255
AKASAKA A28	inlet valve spindle	∅ 122×∅ 26×570×120°
AKASAKA A28	exhaust valve spindle	∅ 120.5×∅ 26×572×100°
AKASAKA A28	inlet valve seat	∅ 126×∅ 95.5×22.5×120°
AKASAKA A28	exhaust valve seat	∅ 134×∅ 87×44.5×100°
AKASAKA A28	inlet valve guide	∅ 112×∅ 45×∅ 26×275
AKASAKA A28	exhaust valve guide	∅ 76×∅ 45×∅ 26×270
AKASAKA AH-40	exhaust valve spindle	∅ 135×∅ 28×680×90°
AKASAKA AH40	inlet valve seat	∅ 144×∅ 106×30×120°
AKASAKA AH40	inlet valve guide	∅ 84×∅ 50×∅ 28×305
AKASAKA AH40	exhaust valve guide	∅ 114×∅ 55×∅ 28×370
AKASAKA AH40	exhaust valve seat	∅ 162×∅ 104×50×90°
AKASAKA AH40F	exhaust valve spindle	∅ 138×∅ 28×678×90°
AKASAKA AH40F	exhaust valve seat	∅ 161×∅ 103.2×56×90°
AKASAKA AH27	exhaust valve spindle	∅ 90×∅ 21×469×90°
AKASAKA 6U26 (L)	in/exh valve spindle	∅ 95×∅ 22×403×90°
AKASAKA 6U26 (L)	in/exh valve seat	∅ 102×∅ 74×20×90°
AKASAKA 6LU26 (L)	inlet valve guide	∅ 54.5×∅ 36×∅ 22×205
AKASAKA 6LU26 (L)	exhaust valve guide	∅ 54.5×∅ 36×∅ 22×225
AKASAKA K28R	inlet valve spindle	∅ 112×∅ 25×510×120°
AKASAKA K28R	exhaust valve spindle	∅ 113×∅ 25×510×100°
AKASAKA K28R	inlet valve seat	∅ 127×∅ 90×36×120°
AKASAKA K28R	exhaust valve seat	∅ 127×∅ 86×39×100°
AKASAKA K28	exhaust valve seat	∅ 126.5×∅ 85×37×100°
AKASAKA 45/75	exhaust valve spindle	∅ 155×∅ 35×719×120°
AKASAKA 45/80D	exhaust valve spindle	∅ 166×∅ 42×838×120°
AKASAKA 45/80D	exhaust valve guide	∅ 71×∅ 65×∅ 42×280
AKASAKA 45/80D	exhaust valve seat	∅ 189×∅ 128×64×120°

	Engine	Description	Dimension	P/N
UEC(T)	85	exhaust valve spindle	∅ 296×∅ 68×1379×120°	
UEC(T)	65/135D	exhaust valve spindle	∅ 233×∅ 54×1018×120°	
UEC(T)	65/135D	exhaust valve seat	∅ 253×∅ 188×78×120°	
UEC(T)	65/135D	exhaust valve guide	∅ 100×∅ 75×∅ 54.3×449.5	
UEC(T)	65/135D	exhaust valve seat	∅ 253×∅ 188×77.2×120°	
UEC(T)	60HA	exhaust valve spindle	∅ 340×∅ 80×1259.5×100°	
UEC(T)	60HA	exhaust valve seat	∅ 382×∅ 261.7×136.5×1WZL403687	
UEC(T)	52L(HA),52/125H	exhaust valve spindle	∅ 296×∅ 71×1115×100°	
UEC(T)	52L(HA),52/125H,MITSUBISHI M55BKH	exhaust valve seat	∅ 332×∅ 228×115×100°	
UEC(T)	52L	exhaust valve seat	∅ 332×∅ 227×115×100° wZL402344	
UEC(T)	LC52A	exhaust valve guide	∅ 120×∅ 102×∅ 71×279	
UEC(T)	60/150H	exhaust valve spindle	∅ 220×∅ 60×1242×120°	
UEC(T)	60/150H	exhaust valve seat	∅ 253×∅ 174×115×120°	
UEC(T)	60/150H	exhaust valve guide	∅ 95×∅ 88×∅ 60×350	
UEC(T)	50LSII	exhaust valve spindle	∅ 275×∅ 50.9×995×120°	
UEC(T)	52/125H	exhaust valve spindle	∅ 185×∅ 48×960×100°	
UEC(T)	52/125H	exhaust valve spindle	∅ 190.5×∅ 48×963×100°	
UEC(T)	52/125H	exhaust valve seat	∅ 218×∅ 146×73.5×100°	
UEC(T)	52/125H	exhaust valve seat	∅ 218×∅ 144.9×78×100°	
UEC(T)	45LA,45/115	exhaust valve spindle	∅ 256.5×∅ 60×944×100 219 144103	
UEC(T)	45/115H,45LA	exhaust valve seat	∅ 285×∅ 196.7×100×10 224 144 102	
UEC(T)	45LA	exhaust valve guide	∅ 100×∅ 85×∅ 60×240 228-144-102	
UEC(T)	45/115H	exhaust valve seat	∅ 285×∅ 196.3×100.5×100°	
UEC(T)	45/115H	exhaust valve guide	∅ 100×∅ 85×∅ 60×240	
UEC(T)	45H (K)	in/exh valve guide	∅ 100×∅ 85×∅ 60×240	
UEC(T)	37LA	exhaust valve spindle	∅ 210×∅ 48×788×100°	

UEC(T)	37LA,37H-IIB	in/exh valve spindle	∅ 210× ∅ 48×788×100°
UEC(T)	37LA,37H-IIB,37-88H	in/exh valve seat	∅ 234× ∅ 161.8×83×100°
UEC(T)	37H-IIB, 37HL (A)	exhaust valve guide	∅ 85× ∅ 75× ∅ 48×195
UEC(T)	33LSII	in/exh valve spindle	∅ 179× ∅ 33×668.5×120°
UEC(T)	33LSII	exhaust valve spindle	∅ 183× ∅ 33×660×100°
UEC(T)	37-88H	in/exh valve spindle	∅ 210× ∅ 48×788×100°
UEC(T)	37-88H	in/exh valve guide	∅ 85× ∅ 75× ∅ 48×195
UEC(T)	52/105E	exhaust valve spindle	∅ 186× ∅ 48×960×120°
UEC(T)	52/105E	exhaust valve seat	∅ 217× ∅ 153.5×91.5×120°
UEC(T)	52/105C	exhaust valve spindle	∅ 184× ∅ 40×865×120°
UEC(T)	52/105D,52/90D	exhaust valve spindle	∅ 198× ∅ 47.78×918.5×120°
UEC(T)	52/105D	exhaust valve seat	∅ 217× ∅ 151.5×77×120°
UEC(T)	52/105D	exhaust valve guide	∅ 85× ∅ 75× ∅ 48×270
UEC(T)	52/105D	exhaust valve seat	∅ 217× ∅ 151.5×77.5×120°
UEC(T)	52/105D	exhaust valve guide	∅ 85× ∅ 75× ∅ 48×270
UEC(T)	52/90C	exhaust valve spindle	∅ 182× ∅ 40×835×120°
UEC(T)	52/90C	exhaust valve seat	∅ 207.5× ∅ 145×69.5×120°
UEC(T)	52/90C	exhaust valve guide	∅ 67.5× ∅ 62× ∅ 40×289
UEC(T)	52/90D	exhaust valve seat	∅ 217× ∅ 160×77.5×120°
UEC(T)	52/90D	exhaust valve seat	∅ 217× ∅ 160×77×120°
UEC(T)	52/90D	exhaust valve seat	∅ 217× ∅ 151.5×77×120°
UEC(T)	45-80D	exhaust valve spindle	∅ 167× ∅ 42×841×120°
UEC(T)	45/80D	exhaust valve seat	∅ 187× ∅ 128.9×65×120°
UEC(T)	45/80D	exhaust valve seat	∅ 187× ∅ 138×70×120°
UEC(T)	45-80D	exhaust valve seat	∅ 187× ∅ 135.5×62.5×120°
UEC(T)	45/80D	exhaust valve guide	∅ 74× ∅ 60× ∅ 42×236
UEC(T)	45/80D	exhaust valve guide	∅ 72× ∅ 65.5× ∅ 42×279
UEC(T)	45/80D	exhaust valve guide	∅ 71× ∅ 65× ∅ 42×279
UEC(T)	45/80D	starting valve	∅ 48× ∅ 32×506×90°
UEC(T)	45/75C	exhaust valve spindle	∅ 158× ∅ 35×714×120°
UEC(T)	45/75C	exhaust valve seat	∅ 177× ∅ 120.3×59×120°
UEC(T)	45/75C	exhaust valve seat	∅ 177× ∅ 124×59×120°
UEC(T)	45/75C	in/exh valve seat	∅ 174× ∅ 128×72×120°
UEC(T)	45/75C	exhaust valve guide	∅ 78.5× ∅ 55× ∅ 35×268
UEC(T)	45/75C	exhaust valve spindle	∅ 158× ∅ 35×720×120°
UEC(T)	45/75C	exhaust valve spindle	∅ 155× ∅ 34×722×120°
UEC(T)	45/75C	exhaust valve seat	∅ 176.2× ∅ 125×51.5×120°
UEC(T)	45/75C	exhaust valve seat	∅ 175× ∅ 130×64×120°
UEC(T)	45/75C	exhaust valve seat	∅ 174.5× ∅ 128.3×71×120°
UEC(T)	45/75C	exhaust valve seat	∅ 175× ∅ 129×73.5×120°
UEC(T)	45/75C	exhaust valve seat	∅ 175.5× ∅ 130×65×120°
UEC(T)	45/75C	exhaust valve seat	∅ 177× ∅ 124×58×120°
UEC(T)	45/75C	exhaust valve guide	∅ 59× ∅ 50× ∅ 35×230
UEC(T)	45/75C	exhaust valve guide	∅ 78.5× ∅ 55× ∅ 35×270
UEC(T)	45/75C	exhaust valve guide	∅ 78× ∅ 55× ∅ 35×270
UEC(T)	45/75	exhaust valve spindle	∅ 155× ∅ 35×720×120°
UEC(T)	45/75	exhaust valve seat	∅ 175.5× ∅ 128×58×120°
UEC(T)	45/75	exhaust valve seat	∅ 175.5× ∅ 128×58×120°
UEC(T)	45/75C	exhaust valve seat	∅ 174.5× ∅ 128.3×71×120°
UEC(T)	39/65C	exhaust valve spindle	∅ 135× ∅ 30×668×120°
	Engine	Description	Dimension
HANSHIN	6EL-44	inlet valve spindle	∅ 184.5× ∅ 40×742×120°
HANSHIN	6EL-44	exhaust valve spindle	∅ 184.5× ∅ 40×736×120°
HANSHIN	6EL-44	in/exh valve seat	∅ 206× ∅ 141×58.5×120°
HANSHIN	6EL-44	inlet valve guide	∅ 73× ∅ 52× ∅ 40×289
HANSHIN	6EL-44	exhaust valve guide	∅ 73× ∅ 52× ∅ 40×290
HANSHIN	6ELS44	exhaust valve spindle	∅ 140× ∅ 32×654.5×120°
HANSHIN	6ELS44	exhaust valve seat	∅ 159× ∅ 110×56.5×120°
HANSHIN	6EL-40	in/exh valve spindle	∅ 168× ∅ 36×650×120°
HANSHIN	6EL-40	in/exh valve seat	∅ 188× ∅ 130×51×120°

HANSHIN	6EL-40,6EL-38	in/exh valve guide,exhaust	∅ 89× ∅ 48× ∅ 36×286
HANSHIN	6EL-38	exhaust valve spindle	∅ 158.5× ∅ 36×624×120°
HANSHIN	6EL-38	exhaust valve seat	∅ 176× ∅ 130×47×120°
HANSHIN	6EL-35	in/exh valve spindle	∅ 146× ∅ 32×559×120°
HANSHIN	6EL-35	inlet valve seat	∅ 155× ∅ 120×17×120°
HANSHIN	6EL-35	exhaust valve seat	∅ 163× ∅ 120×40×120°
HANSHIN	6EL-35	inlet valve guide	∅ 110× ∅ 55× ∅ 32×260
HANSHIN	6EL-35	exhaust valve guide	∅ 79× ∅ 42× ∅ 32×240
HANSHIN	6ELS35	exhaust valve spindle	∅ 120× ∅ 26×530×120°
HANSHIN	ELS32	exhaust valve spindle	∅ 110× ∅ 24×475.5×120°
HANSHIN	ELS-32	inlet valve seat	∅ 118× ∅ 92×13.5×120°
HANSHIN	ELS-32	exhaust valve seat	∅ 122× ∅ 91×31×120°
HANSHIN	6EL32-83	inlet valve spindle	∅ 135× ∅ 30×525×120°
HANSHIN	6EL32-83	exhaust valve spindle	∅ 135× ∅ 30×525×120°
HANSHIN	6EL32-83	inlet valve seat	∅ 145× ∅ 120×14×120°
HANSHIN	6EL32-83	exhaust valve seat	∅ 151× ∅ 120×36×120°
HANSHIN	6EL32-83	inlet valve guide	∅ 100× ∅ 50× ∅ 30×279.5
HANSHIN	6EL32-83	exhaust valve guide	∅ 78.5× ∅ 42× ∅ 30×260
HANSHIN	6EL32	exhaust valve spindle	∅ 135× ∅ 30×525×120°
HANSHIN	EL-32	exhaust valve seat	∅ 150.5× ∅ 120×36×120°
HANSHIN	LH31G-D ,6EL-30D, LH31G-63	in/exh valve spindle	∅ 127× ∅ 28×494×120°
HANSHIN	EL-3D, LH31G-D, LH31G	exhaust valve guide,inlet v	∅ 69× ∅ 42× ∅ 28×225
HANSHIN	EL-30G	exhaust valve guide	∅ 96× ∅ 48× ∅ 28×260
HANSHIN	6LU-54C	exhaust valve seat	∅ 256× ∅ 204×54.5×120°
HANSHIN	6LU50A	inlet valve spindle	∅ 212× ∅ 42×736×120°
HANSHIN	6LU50A	exhaust valve spindle	∅ 212× ∅ 42×736×120°
HANSHIN	6LU50A	in/exh valve seat	∅ 233× ∅ 188×54×120°
HANSHIN	6LU50A	exhaust valve guide	∅ 64× ∅ 54× ∅ 42×298
HANSHIN	6LU-46A	in/exh valve spindle	∅ 199× ∅ 40×677×120°
HANSHIN	6LU46A	in/exh valve seat	∅ 217.5× ∅ 175×51×120°
HANSHIN	6LU46A	in/exh valve guide	∅ 64× ∅ 54× ∅ 40×223
HANSHIN	6LU46A-3	inlet valve spindle	∅ 198× ∅ 40×678×120°
HANSHIN	6LU46A-3	exhaust valve spindle	∅ 197× ∅ 40×677×120°
HANSHIN	6LU46A-3	inlet valve seat	∅ 218× ∅ 150×49×120°
HANSHIN	6LU46A-3	exhaust valve seat	∅ 217.5× ∅ 173.3×49×120°
HANSHIN	6LU46A-3	exhaust valve seat	∅ 217.5× ∅ 150×50×120°
HANSHIN	6LU46A-3	exhaust valve seat	∅ 217.5× ∅ 150×50×120°
HANSHIN	6LU46A-3	exhaust valve guide	∅ 64× ∅ 54× ∅ 40×188
HANSHIN	6LUS40	inlet valve spindle	∅ 140× ∅ 30×565.5×120°
HANSHIN	6LUS40	exhaust valve spindle	∅ 137× ∅ 30×598.5×120°
HANSHIN	6LUS40	exhaust valve seat	∅ 157× ∅ 123×36×120°
HANSHIN	6LUD35,6LU38,SHLU-38-005	exhaust valve spindle	∅ 160× ∅ 32×555×120°
HANSHIN	6LU38	exhaust valve seat	∅ 179× ∅ 142×39×120°
HANSHIN	SHLU-38-005	exhaust valve seat	∅ 178.5× ∅ 143×42.5×120°
HANSHIN	6LUS38	inlet valve spindle	∅ 131× ∅ 28×567×120°
HANSHIN	6LUS38	exhaust valve spindle	∅ 131× ∅ 28×567×120°
HANSHIN	6LUS38	inlet valve seat	∅ 142× ∅ 116×14×120°
HANSHIN	6LUD35	inlet valve spindle	∅ 126× ∅ 25×497×120°
HANSHIN	6LUD35	inlet valve seat	∅ 134× ∅ 110×14×120°
HANSHIN	6LUD35	exhaust valve seat	∅ 179× ∅ 142×46×120°
HANSHIN	6LUD35	inlet valve guide	∅ 90× ∅ 42× ∅ 25×250
HANSHIN	6LU35	exhaust valve spindle	∅ 146× ∅ 29.5×544×120°
HANSHIN	6LU35J-5	exhaust valve spindle	∅ 146× ∅ 30×544×120°
HANSHIN	6LU35J-5	exhaust valve seat	∅ 163× ∅ 130×35×120°
HANSHIN	LU35J-5	inlet valve guide	∅ 62.5× ∅ 40× ∅ 30×175
HANSHIN	LU35J-5	exhaust valve guide	∅ 100× ∅ 50× ∅ 30×309.5
HANSHIN	6LUD32	exhaust valve spindle	∅ 146× ∅ 30×529×120°
HANSHIN	6LU35,6LUD32	exhaust valve seat	∅ 163× ∅ 130×38.5×120°
HANSHIN	6LU32	in/exh valve spindle	∅ 135× ∅ 28×486×120°
HANSHIN	6LU32	in/exh valve spindle	∅ 135× ∅ 28×486×120°

HANSHIN	6LU32	inlet valve seat	∅ 145× ∅ 120×14×120°
HANSHIN	EL-32, 6LU32	exhaust valve seat	∅ 151× ∅ 120×33.5×120°
HANSHIN	6LUD32	inlet valve guide	∅ 58× ∅ 38× ∅ 28×152
HANSHIN	6LU32	exhaust valve guide	∅ 95× ∅ 48× ∅ 28×265
HANSHIN	LU32G	in/exh valve spindle	∅ 135× ∅ 28×486×120°
HANSHIN	LU32G	exhaust valve seat	∅ 151.5× ∅ 120×35×120°
HANSHIN	6UD26	in/exh valve spindle	∅ 104× ∅ 20×365×120°
HANSHIN	6LUN26,6LUD26	inlet valve spindle	∅ 95× ∅ 20×396×120°
HANSHIN	6LUN26,6LUD26	exhaust valve spindle	∅ 120× ∅ 25×440×120°
HANSHIN	LUD26	inlet valve seat	∅ 116× ∅ 98×13×120°
HANSHIN	LUD26	exhaust valve seat	∅ 122× ∅ 94×28.5×120°
HANSHIN	6LUD26,6LUN26	inlet valve guide	∅ 50× ∅ 32× ∅ 20×195
HANSHIN	6LUD26	exhaust valve guide	∅ 33× ∅ 24.8×170
HANSHIN	6ULD26RG	starting valve	∅ 30× ∅ 16×251×90°
HANSHIN	LUN30ARG	inlet valve spindle	∅ 120× ∅ 25×440×120°
HANSHIN	LUN30ARG,6LUN28ARG	in/exh valve spindle	∅ 120× ∅ 25×440×120°
HANSHIN	6LUN28AG, 6LUN28A-2	inlet valve seat	∅ 128× ∅ 105×13×120°
HANSHIN	6LUN(D)26, 6LUN28ARG, LUN30ARG	exhaust valve seat	∅ 134× ∅ 106×30×120°
HANSHIN	6LUN28ARG, LUN30ARG	inlet valve guide	∅ 90× ∅ 42× ∅ 25×250
HANSHIN	6LUN28AG	exhaust valve guide	∅ 40× ∅ 33× ∅ 25×157
HANSHIN	6LN35L	exhaust valve spindle	∅ 136× ∅ 27×609×120°
HANSHIN	6LN35L	exhaust valve seat	∅ 152× ∅ 120×43.5×120°
HANSHIN	LH32	inlet valve spindle	∅ 135× ∅ 28×633×120°
HANSHIN	LH32	exhaust valve spindle	∅ 133× ∅ 28×632.5×100°
HANSHIN	LH32	exhaust valve guide	∅ 81× ∅ 50× ∅ 28×255
HANSHIN	LH36	in/exh valve spindle	∅ 151× ∅ 32×600.5×120°
HANSHIN	LH36	in/exh valve seat	∅ 167× ∅ 122×63×120°
HANSHIN	EL-30G	inlet valve seat	∅ 135× ∅ 104×15×120°
HANSHIN	EL-30G, LH31G-63, LH31G-D	in/exh valve seat	∅ 142× ∅ 104×40×120°
HANSHIN	LH31G-D,6EL30-101	exhaust valve guide	∅ 69× ∅ 42× ∅ 28×225
HANSHIN	LH28LG	in/exh valve spindle	∅ 114× ∅ 24×475×120°
HANSHIN	LH28LG	in/exh valve seat	∅ 127× ∅ 94×51.5×120°
HANSHIN	LH28RG	exhaust valve seat	∅ 127× ∅ 94×34.5×120°
HANSHIN	LH28	inlet valve guide	∅ 32.2× ∅ 24×183
HANSHIN	LH28-26,LH28, LH28RG	exhaust valve guide	∅ 50× ∅ 33× ∅ 24×193
HANSHIN	LH28	inlet valve guide	∅ 33.5× ∅ 24×185
HANSHIN	LH28	exhaust valve guide	∅ 34.5× ∅ 33.5× ∅ 24×185
HANSHIN	LH28	inlet valve guide	∅ 46× ∅ 33× ∅ 25×190
HANSHIN	LH28LG	exhaust valve guide	∅ 50× ∅ 33× ∅ 24×206
HANSHIN	6ILIS28	exhaust valve spindle	∅ 100× ∅ 22×390×120°
HANSHIN	6ILIS28	exhaust valve seat	∅ 110× ∅ 91×12×120°
HANSHIN	6ILIS28	exhaust valve guide	∅ 58× ∅ 35× ∅ 22×200
HANSHIN	LH28RG ,L (A) H28G ,LH28-26	inlet valve spindle	∅ 114× ∅ 24×450×120°
HANSHIN	L (A) H28G	exhaust valve spindle	∅ 114× ∅ 24.4×450×120°
HANSHIN	L (A) H28G	exhaust valve seat	∅ 128× ∅ 86×30.5×120°
HANSHIN	LH28, LH28G, LH28-26	in/exh valve seat	∅ 127× ∅ 94×35×120°
HANSHIN	S6UDTSS 270	exhaust valve seat	∅ 115× ∅ 87.7×29.5×90°
HANSHIN	LD26	inlet valve seat	∅ 102× ∅ 82×12×120°
HANSHIN	LF58	exhaust valve seat	∅ 271× ∅ 205×95×120°
HANSHIN	6LUN26,6LUD26	inlet valve seat	∅ 102× ∅ 83×11×120°
HANSHIN	6LUD26RG	starting valve	∅ 30× ∅ 16×250×90°
HANSHIN	Z6320ESS	in/exh valve spindle	∅ 177× ∅ 22×389×120°
HANSHIN		in/exh valve spindle	∅ 120× ∅ 26×530×120°
	Engine	Description	Dimension
MAKITA	KSLH654	in/exh valve spindle	∅ 206× ∅ 46×997.5×120°
MAKITA	KSLH654	exhaust valve spindle	∅ 204× ∅ 46×995×120°
MAKITA	KSLH654	in/exh valve seat	∅ 241× ∅ 180.5×73×120°
MAKITA	MSHZ638	inlet valve seat	∅ 164× ∅ 129×38×90°
MAKITA	KSLH637,GSLH637	exhaust valve spindle	∅ 145× ∅ 32×708×120°
MAKITA	GSLH637	exhaust valve seat	∅ 168.5× ∅ 126×49×120°

MAKITA	KSLH637	in/exh valve spindle	∅ 144×∅ 30.5×710×90°
MAKITA	KSLH637	in/exh valve seat	∅ 168×∅ 125×56×90°
MAKITA	ESLHC633	in/exh valve spindle	∅ 129×∅ 25×562×120°
MAKITA	ESLHC633	in/exh valve seat	∅ 147×∅ 114×35×120°
MAKITA	GSLH633	exhaust valve spindle	∅ 127.5×∅ 27×609×120°
MAKITA	GSLH633	exhaust valve seat	∅ 149×∅ 112×48×120°
MAKITA	KSLH633	exhaust valve seat	∅ 149×∅ 111×53.5×120°
MAKITA	KSLH630	inlet valve spindle	∅ 116×∅ 27×549×120°
MAKITA	KSLH630	inlet valve seat	∅ 135.4×∅ 101×44×120°
MAKITA	GSLH6275	inlet valve spindle,in/exh v	∅ 105×∅ 25×508×120°
MAKITA	GSLH6275	exhaust valve spindle	∅ 68×∅ 19×462×120°
MAKITA	GSLH6275	inlet valve seat	∅ 122.5×∅ 90×37×120°
MAKITA	GSLH6275	exhaust valve seat	∅ 122×∅ 90×36.5×120°
MAKITA	GSLH6275	inlet valve guide	∅ 87×∅ 47.5×∅ 25×192
MAKITA	GSLH6275	inlet valve guide	∅ 87×∅ 47×∅ 25×153
MAKITA	GSLH6275	exhaust valve guide	∅ 87×∅ 47.5×∅ 25×192
MAKITA	LS35L	in/exh valve spindle	∅ 136×∅ 27×609×120°
MAKITA	LS35L	in/exh valve seat	∅ 152×∅ 119.5×45×120°
MAKITA	GNLH630	in/exh valve guide	∅ 93×∅ 47×∅ 27(25)×194
MAKITA	647	exhaust valve spindle	∅ 182×∅ 40×864×120°
MAKITA	647	exhaust valve seat	∅ 211×∅ 163.5×68×120°

